

Clarification to Performance Assessment Interval Agreement Language

Susan Kenney
Manager, Markets Automation & QA
Market Implementation Committee
February 10, 2021

Future
MIC
Discussion

- Identification of assessed resources
- Calculation of real-time reserve and regulation assignment
- Calculation of scheduled MW for non-performance and bonus determinations

• Retroactive Replacement Transaction Applicability

For
Discussion
Today

- Calculations for a resource with both RPM and FRR commitments
- Allocation of Non-Performance data to Capacity Resources Due to Modeling Differences

- Allocation of data for resources with both RPM and FRR commitments
 - Clarifying changes made to Sections 11.3, 11.8.6, 11.8.7
- Allocation of Non-Performance data to Capacity Resources due to Modeling Differences
 - Clarifying changes made to Sections 8.4A.7

In addition to adding language specific to the items previously identified, PJM is proposing to:

- Add Subsections to Section 8.4A for readability
- Retire language describing Performance Capacity rules specific to Base Capacity
- Clarify Balancing Ratio language
- Clarify Retroactive Replacement Transactions are submitted via Capacity Exchange, not emailed to RPM Hotline.
- Rename Exempt MW to Excused MW

Facilitator:
Lisa Morelli, lisa.morelli@pjm.com

Secretary:
Nicholas Disciullo,
nicholas.disciullo@pjm.com

SME/Presenter:
Susan Kenney, susan.kenney@pjm.com

Clarification to Performance Assessment Interval Agreement Language



Member Hotline

(610) 666 – 8980

(866) 400 – 8980

custsvc@pjm.com