5.14 Clearing Prices and Charges

- h-2) Minimum Offer Price Rule Effective with the 2023/2024 Delivery Year
- (3) **Minimum Offer Price Rule.** Any Sell Offer for a Generation Capacity Resource that is subject to the provisions of the Minimum Offer Price Rule pursuant to Tariff, Attachment DD, section 5.14(h-2)(2) shall have an offer price no lower than the applicable MOPR Floor Offer Price, unless the applicable MOPR Floor Offer Price is higher than the applicable Market Seller Offer Cap, in which circumstance the Capacity Market Seller, to participate in an RPM Auction, must request a unit-specific value determined in accordance with the unit-specific MOPR Floor Offer Price shall establish the offer level for such resource.
- (A) New Entry MOPR Floor Offer Price. For a Generation Capacity Resource that is subject to the provisions of the Minimum Offer Price Rule pursuant to Tariff, Attachment DD, section 5.14(h-2)(2) and for which a Sell Offer based on that resource, or any uprate of such Generation Capacity Resource participating in the generation interconnection process under Tariff, Part IV, Subpart A, that has not cleared an RPM Auction for any Delivery Year, the applicable MOPR Floor Offer Price, based on the net cost of new entry for the resource type, shall be, at the election of the Capacity Market Seller, (i) the unit-specific value determined in accordance with the unit-specific MOPR Floor Offer Price process in Tariff, Attachment DD, section 5.14(h-2)(4) below or (ii) if applicable, the default New Entry MOPR Floor Offer Price for the applicable resource based on the gross cost of new entry values shown in the table below, as adjusted for Delivery Years subsequent to the 2022/2023 or 2026/2027 Delivery Year, as applicable, net of estimated net energy and ancillary service revenues for the resource type and Zone in which the resource is located.

Resource Type	Through the 2025/2026 Delivery Years: Gross Cost of New Entry (2022/2023 \$/ MW-day) (Nameplate)	For the 2026/2027 Delivery Year and Subsequent Delivery Years: Gross Cost of New Entry (2026/2027 \$/ MW-day) (Nameplate)
Nuclear	\$2,000	\$2,568
Coal	\$1,068	\$1,480
Combined Cycle	\$320	\$540
Combustion Turbine	\$294	\$427
Fixed Solar PV	\$271	\$298
Tracking Solar PV	\$290	\$321
Onshore Wind	\$420	\$438
Offshore Wind	\$1,155	\$1,351
Battery Energy Storage	\$532	\$502

The gross cost of new entry values in the table above are expressed in dollars per MW-day in terms of nameplate megawatts. For purposes of submitting a Sell Offer, the gross cost of new entry values must be converted to a net cost of new entry by subtracting the estimated net energy and ancillary service revenues, as determined below, from the gross cost of new entry. However, the resultant net cost of new entry of the battery energy storage resource type in the table above must be multiplied by 2.5. The net cost of new entry based on nameplate capacity is then converted to Unforced Capacity ("UCAP") MW-day. For the 2023/2024 Delivery Year and subsequent Delivery Years, to determine the applicable UCAP MW-day value, the net cost of new entry is adjusted as follows: for battery storage, wind, and solar resource types, the applicable ELCC Class Rating; or for all other generation resource types, the applicable class average EFORd. The resulting default New Entry MOPR Floor Offer price in UCAP/MW-day terms shall be applied to each MW offered for the Capacity Resource regardless of the actual Sell Offer quantity and regardless of whether the Sell Offer is for a Seasonal Capacity Performance Resource.

Commencing with the Base Residual Auction for the 2023/2024 Delivery Year, the Office of the Interconnection shall adjust the default gross costs of new entry in the table above and post the preliminary estimates of the adjusted applicable default New Entry MOPR Floor Offer Prices on its website, by no later than one hundred fifty (150) days prior to the commencement of the offer period for each Base Residual Auction. To determine the adjusted applicable default New Entry MOPR Floor Offer Prices for all resource types, the Office of the Interconnection shall adjust the gross costs of new entry utilizing, for combustion turbine and combined cycle resource types, the same Applicable BLS Composite Index applied for such Delivery Year to adjust the CONE value used to determine the Variable Resource Requirement Curve, in accordance with Tariff, Attachment DD, section 5.10(a)(iv), and for all other resource types, the "BLS Producer Price Index Turbines and Turbine Generator Sets" component of the Applicable BLS Composite Index used to determine the Variable Resource Requirement Curve shall be replaced with the "BLS Producer Price Index Final Demand, Goods Less Food & Energy, Private Capital Equipment" when adjusting the gross costs of new entry. The resultant value shall then be then adjusted further by a factor of 1.022 for nuclear, coal, combustion turbine, and combine cycle resource types or 1.01 for solar, wind, and storage resource types to reflect the annual decline in bonus depreciation scheduled under federal corporate tax law. Updated estimates of the net energy and ancillary service revenues for each default resource type and applicable Zone, which shall include, but are not limited to, consideration of Fuel Costs, Maintenance Adders and Operating Costs, as applicable, pursuant to Operating Agreement, Schedule 2 shall then be subtracted from the adjusted gross costs of new entry to determine the adjusted New Entry MOPR Floor Offer Price. The net energy and ancillary services revenue is equal to the average of the annual net revenues of the three most recent calendar years preceding the Base Residual Auction, where such annual net revenues shall be determined in accordance with the following and the PJM Manuals:

(i) for nuclear resource type, the net energy and ancillary services revenue estimate shall be determined by the gross energy market revenue determined by the product of [average annual zonal day-ahead LMP, times 8,760 hours times the annual average equivalent availability factor of all PJM nuclear resources] minus the total annual cost to produce energy determined by the product of [8,760 hours times the annual average equivalent availability factor of all PJM nuclear resources times \$9.02/MWh for a single unit plant or

\$7.66/MWh for a multi-unit plant] where these hourly cost rates include fuel costs and variable operation and maintenance expenses, inclusive of Maintenance Adder costs, plus an ancillary services revenue of \$3,350/MW-year;

(ii) for coal resource type, the net energy and ancillary services revenue estimate shall be determined by a simulated dispatch of a 650 MW coal unit (with heat rate of 8,638 BTU/kWh and variable operations and maintenance variable operation and maintenance expenses, inclusive of Maintenance Adder costs, of \$9.50/MWh) using applicable coal prices, as set forth in the PJM Manuals, plus reactive services revenue of \$3,350/MW-year. The unit is committed day-ahead in profitable blocks of at least eight hours, and then committed in real-time for profitable hours if not already committed day ahead;

(iii) for combustion turbine resource type, the net energy and ancillary services revenue estimate shall be determined in a manner consistent with the methodology described in Tariff, Attachment DD, section 5.10(a)(v)(B) for the Reference Resource combustion turbine.

(iv) for combined cycle resource type, the net energy and ancillary services revenue estimate shall be determined in the same manner as that prescribed for a combustion turbine resource type, except that the heat rate assumed for the combined cycle resource shall be 6,553 BTU/kwh, the variable operations and maintenance expenses for such resource, inclusive of Maintenance Adder costs, shall be \$2.11/MWh, the Peak-Hour Dispatch scenario for both the Day-Ahead and Real-Time Energy Markets shall be modified to dispatch the CC resource continuously during the full peak-hour period, as described in Peak-Hour Dispatch, for each such period that the resource is economic (using the test set forth in such section), rather than only during the four-hour blocks within such period that such resource is economic, and the ancillary services revenue shall be \$3,350/MW-year.

(v) for solar PV resource type, the net energy and ancillary services revenue estimate shall be determined using a solar resource model that provides the average MW output level, expressed as a percentage of nameplate rating, by hour of day (for each of the 24-hours of a day) and by calendar month (for each of the twelve months of a year). The annual net energy market revenues are determined by multiplying the solar output level of each hour by the real-time zonal LMP applicable to such hour with this product summed across all of the hours of an annual period, plus an ancillary services revenue of \$3,350/MW-year. Two separate solar resource models are used, one model for a fixed panel resource and a second model for a tracking panel resource;

(vi) for onshore wind resource type, the net energy and ancillary services revenue estimate shall be determined using a wind resource model that provides the average MW output level, expressed as a percentage of nameplate rating, by hour of day (for each of the 24-hours of a day) and by calendar month (for each of the twelve months of a year). The annual energy market revenues are determined by multiplying the wind output level of each hour by the real-time zonal LMP applicable to such hour with this product summed across all of the hours of an annual period, plus an ancillary services revenue of \$3,350/MW-year;

(vii) for offshore wind resource type, the net energy and ancillary services revenue estimate shall be the product of [the average annual zonal real-time LMP times 8,760 hours times an assumed annual capacity factor of 45%], plus an ancillary services revenue of \$3,350/MW-year; and

(viii) for Capacity Storage Resource, the net energy and ancillary services revenue estimate shall be estimated by a simulated dispatch against historical real-time zonal LMPs where the resource is assumed to be dispatched for the four hours of highest LMP of a daily twenty-four hour period if the average LMP of these four hours exceeds 120% of the average LMP of the four lowest LMP hours of the same twenty-four hour period. The net energy market revenues will be determined by the product of [hourly output of 1 MW times the hourly LMP for each hour of assumed discharging] minus the product of [hourly consumption of 1.2 MW times the hourly LMP for each hour of assumed charging] with this net value summed across all of the hours of an annual period, plus an ancillary services revenue of \$3,350/MW-year. An 83.3% efficiency of the battery energy storage resource is reflected by assuming each 1.0 MW of discharge requires 1.2 MW of charge.

Beginning with the Delivery Year that commences June 1, 2022, and continuing no later than for every fourth Delivery Year thereafter, the Office of the Interconnection shall review the default gross cost of new entry values. Such review may include, without limitation, analyses of the fixed development, construction, operation, and maintenance costs for such resource types. Based on the results of such review, PJM shall propose either to modify or retain the default gross cost of new entry values stated in the table above. The Office of the Interconnection shall post publicly and solicit stakeholder comment regarding the proposal. If, as a result of this process, changes to the default gross cost of new entry values are proposed, the Office of the Interconnection shall file such proposed modifications with the FERC by October 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.

Any Generation Capacity Resource that is subject to the provisions of the Minimum Offer Price Rule pursuant to Tariff, Attachment DD, section 5.14(h-2)(2) and that has not previously cleared an RPM Auction for that or any prior Delivery Year and for which there is no default MOPR Floor Offer Price provided in accordance with this section, including hybrid resources, must seek a unit-specific value determined in accordance with the unit-specific MOPR Floor Offer Price process below to participate in an RPM Auction. Failure to obtain a unit-specific MOPR Floor Offer Price will result in the Office of the Interconnection rejecting any Sell Offer based on such resource for the relevant RPM Auction.

(B) Cleared MOPR Floor Offer Prices.

For a Generation Capacity Resource that is subject to the provisions of the Minimum Offer Price Rule pursuant to Tariff, Attachment DD, section 5.14(h-2)(2) and for which a Sell Offer based on that resource has previously cleared an RPM Auction for any Delivery Year, the applicable Cleared MOPR Floor Offer Price shall be, at the election of the Capacity Market Seller, (a) based on the unit-specific MOPR Floor Offer Price, as determined in accordance with Tariff, Attachment DD, section 5.14(h-2)(4) below, or (b) if available, the default Avoidable Cost Rate for the applicable resource type shown in the table

below, as adjusted for Delivery Years subsequent for the 2022/2023 or 2026/2027 Delivery Year, as applicable, to reflect changes in avoidable costs, net of projected PJM market revenues equal to the resource's historical net energy and ancillary service revenues consistent with Tariff, Attachment DD, section 6.8(d).

Existing Resource Type	Through the 2025/2026 Delivery Years: Default Gross ACR (2022/2023) (\$/MW-day) (Nameplate)	For the 2026/2027 Delivery Year and Subsequent Delivery Years: Default Gross ACR (2026/2027) (\$/MW-day) (Nameplate)
Nuclear - single	\$697	\$591
Nuclear - dual	\$445	\$537
Coal	\$80	\$94
Combined Cycle	\$56	\$113
Combustion Turbine	\$50	\$52
Steam Oil & Gas	NA	\$64
Solar PV (fixed and tracking)	\$40	\$70
Wind Onshore	\$83	\$147

The default gross Avoidable Cost Rate values in the table above are expressed in dollars per MW-day in terms of nameplate megawatts. For purposes of submitting a Sell Offer, the default Avoidable Cost Rate values must be net of estimated net energy and ancillary service revenues, and then the difference is ultimately converted to Unforced Capacity ("UCAP") MW-day, where the UCAP MW-day value will be determined based on the 2023/2024 Delivery Year and subsequent Delivery Years, the resource-specific Accredited UCAP value for solar and wind resource types (with appropriate time-weighting for any winter Capacity Interconnection Rights) or the resource-specific EFORd for all other generation resource types and on. The resulting default Cleared MOPR Floor Offer price in UCAP/MW-day terms shall be applied to each MW offered for the Capacity Resource regardless of actual Sell Offer quantity and regardless of whether the Sell Offer is for a Seasonal Capacity Performance Resource.

Commencing with the Base Residual Auction for the 2023/2024 Delivery Year, the Office of the Interconnection shall adjust the default Avoidable Cost Rates in the table above, and post the adjusted values on its website, by no later than one hundred fifty (150) days prior to the commencement of the offer period for each Base Residual Auction. To determine the adjusted Avoidable Cost Rates, the Office of the Interconnection shall utilize the 10-year average Handy-Whitman Index in order to adjust the Gross ACR values to account for expected inflation. Updated estimates of the net energy and ancillary service revenues shall be determined on a resource-specific basis in accordance with Tariff, Attachment DD, section 6.8(d) and the PJM Manuals.

Beginning with the Delivery Year that commences June 1, 2022, and continuing no later than for every fourth Delivery Year thereafter, the Office of the Interconnection shall review the default Avoidable Cost Rates for Capacity Resource that is subject to the provisions of the Minimum Offer Price Rule pursuant to Tariff, Attachment DD, section 5.14(h-2)(2) that have cleared in an RPM Auction for any Delivery Year. Such review may include, without limitation, analyses of the avoidable costs of such resource types. Based on the results of such review, PJM shall propose either to modify or retain the default Avoidable Cost Rate values stated in the table above. The Office of the Interconnection shall post publicly and solicit stakeholder comment regarding the proposal. If, as a result of this process, changes to the default Avoidable Cost Rate values are proposed, the Office of the Interconnection shall file such proposed modifications with the FERC by October 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.

Any Generation Capacity Resource that is subject to the provisions of the Minimum Offer Price Rule pursuant to Tariff, Attachment DD, section 5.14(h-2)(2) and that has previously cleared an RPM Auction for any Delivery Year and for which there is no default MOPR Floor Offer Price provided in accordance with this section, including hybrid resources, must seek a unit-specific value determined in accordance with the unit-specific MOPR Floor Offer Price process below to participate in an RPM Auction. Failure to obtain a unit-specific MOPR Floor Offer Price will result in the Office of the Interconnection rejecting any Sell Offer based on such resource.

6.4 Market Seller Offer Caps

(a) The Market Seller Offer Cap, stated in dollars per MW/day of unforced capacity, applicable to price-quantity offers within the Base Offer Segment for an Existing Generation Capacity Resource shall be the Avoidable Cost Rate for such resource, less the Projected PJM Market Revenues for such resource, stated in dollars per MW/day of unforced capacity. A Capacity Market Seller offering above \$0/MW-day must support and obtain approval of a unit-specific Market Seller Offer Cap pursuant to the procedures and standards of subsection (b) of this section 6.4 or may, at its election, if available, utilize a Market Seller Offer Cap determined using the applicable default gross Avoidable Cost Rate for the applicable resource type shown in the table below, as adjusted for Delivery Years subsequent to the 2022/2023 or 2026/2027 Delivery Year, as applicable, to reflect changes in avoidable costs, net of projected PJM market revenues equal to the resource's net energy and ancillary service revenues for the resource type, as determined in accordance with Tariff, Attachment DD, section 6.8(d-1).

Existing Resource	Through the	For the 2026/2027
Туре	2025/2026 Delivery	Delivery Year and
	Years:	Subsequent
	Default Gross ACR	Delivery Years:
	(2022/2023)	Default Gross ACR
	(\$/MW-day)	(2026/2027)
	(Nameplate)	(\$/MW-day)
		(Nameplate)
Nuclear – single	\$697	\$591
Nuclear – dual	\$445	\$537
Coal	\$80	\$94
Combined Cycle	\$56	\$113
Combustion Turbine	\$50	\$52
Steam Oil & Gas	NA	\$64
Solar PV	\$40	\$70
(fixed and tracking)		
Wind Onshore	\$83	\$147

The Market Seller Offer Cap for an Existing Generation Capacity Resource shall be the Opportunity Cost for such resource, if applicable, as determined in accordance with Tariff, Attachment DD, section 6.7.

(b) For each Existing Generation Capacity Resource, a potential Capacity Market Seller must provide to the Market Monitoring Unit and the Office of the Interconnection data and documentation required under section 6.7 below to establish the level of the Market Seller Offer Cap applicable to each resource by no later than one hundred twenty (120) days prior to the commencement of the offer period for the applicable RPM Auction. The Capacity Market Seller must promptly address any concerns identified by the Market Monitoring Unit regarding the data and documentation provided, review the Market Seller Offer Cap proposed by the Market Monitoring Unit, and attempt to reach agreement with the Market Monitoring Unit on the level of the Market Seller Offer Cap by no later than ninety (90) days prior to the commencement of

the offer period for the applicable RPM Auction. The Capacity Market Seller shall notify the Market Monitoring Unit in writing, with a copy to the Office of the Interconnection, whether an agreement with the Market Monitoring Unit has been reached or, if no agreement has been reached, specifying the level of Market Seller Offer Cap to which it commits by no later than eighty (80) days prior to the commencement of the offer period for the applicable RPM Auction. The Office of the Interconnection shall review the data submitted by the Capacity Market Seller, make a determination whether to accept or reject the requested unit-specific Market Seller Offer Cap, and notify the Capacity Market Seller and the Market Monitoring Unit of its determination in writing, by no later than sixty-five (65) days prior to the commencement of the offer period for the applicable RPM Auction. In the event the Office of the Interconnection rejects the Capacity Market Seller's requested unit-specific Market Seller Offer Cap for a particular Capacity Resource, the Capacity Market Seller of such Capacity Resource may submit an offer up to (1) should one exist, the default gross Avoidable Cost Rate for the applicable resource type net of projected PJM market revenues equal to the resource's net energy and ancillary service revenues for the resource type, or (2) the unit-specific Market Seller Offer Cap proposed by the Market Monitoring Unit upon PJM approval of such value. If the Market Monitoring Unit does not provide its determination to the Capacity Market Seller and the Office of the Interconnection by the specified deadline, by no later than sixty-five (65) days prior to the commencement of the offer period for the applicable RPM Auction the Office of the Interconnection will make the determination of the level of the Market Seller Offer Cap, which shall be deemed to be final. If the Capacity Market Seller does not notify the Market Monitoring Unit and the Office of the Interconnection of the Market Seller Offer Cap it desires to utilize by no later than eighty (80) days prior to the commencement of the offer period for the applicable RPM Auction, it shall be required to utilize a Market Seller Offer Cap determined using the applicable default Avoidable Cost Rate specified in section 6.4(a) above.

Notwithstanding the provisions of Tariff, Attachment M-Appendix, section II.E.2 and this Tariff, Attachment DD, section 6.4(b), no later than eighty (80) days prior to the commencement of the offer period for the auction, the Market Monitoring Unit and the relevant Capacity Market Seller may mutually agree on the value of such Market Seller Offer Cap. Nothing herein shall preclude the Market Monitoring Unit from modifying the Market Seller Offer Cap for a Generation Capacity Resource beyond the eighty-day (80-day) deadline prior to the commencement of the offer period for the auction, through the commencement of the offer period for the auction, so long as the Market Monitoring Unit and the relevant Capacity Market Seller mutually agree with the value of such Market Seller Offer Cap. The Capacity Market Seller shall notify the Market Monitoring Unit in writing, with a copy to the Office of the Interconnection, if such an agreement with the Market Monitoring Unit has been reached. The Office of the Interconnection shall review the Market Seller Offer Cap submitted by the Capacity Market Seller and make a determination whether the Market Seller Offer Cap complies with the tariff, and notify the Capacity Market Seller and the Market Monitoring Unit of its determination.

(c) Nothing in this section precludes the Capacity Market Seller from filing a petition with FERC seeking a determination of whether the Sell Offer complies with the requirements of the Tariff.

(d) For any Third Incremental Auction for the 2018/2019 Delivery Year or any subsequent Delivery Year, the Market Seller Offer Cap for an Existing Generation Capacity Resource offering as a Capacity Performance Resource shall be determined pursuant to subsection (a) of this Section 6.4, or if elected by the Capacity Market Seller, shall be equal to 1.1 times the Capacity Resource Clearing Price in the Base Residual Auction for the relevant LDA and Delivery Year.