




PJM Proposed Package for Regulation Redesign (RMDSTF)


Danielle Croop
Manager, Market Design
Markets & Reliability Committee
November 15, 2023

Moving from the current RegA and RegD signals and a bi-directional product to A one-signal design and a Regulation Up and Regulation Down Products



- Reg-Up product operates above the zero crossing
- Reg-Down product operates below the zero crossing
- Resources will be able to follow the full signal (bidirectional) by being assign Reg-Up and Reg-Down
 - Only one product will be deployed at a time

Move to a 30 minute clearing time and commitment duration



Clock

STATUS QUO

- **60 minutes** prior to target time
- Looks ahead 60 minutes beyond target time

PROPOSED

- **30 minutes** prior to target time
- Looks ahead 30 minutes beyond target time

Legend

- Case execution time
- Case approval
- Service provided

- **Maintaining a similar structure as status-quo**
 - Keeping seasonal definitions and high/low hours of regulation
 - Adding a transition hour to allow less operational disruption
- **Adding an annual review to modify the requirement based on system needs to address any operational changes amongst the energy transition**

Season	Dates	Hours Ending	Requirement MW
Winter	Nov. 1 – Feb. 28	HE 5 – 10, HE 17 – 24	750
		HE 1, HE 11	650
		HE 2 – 4, HE 12 - 16	550
Spring	March 1 - April 30	HE 19 – 1, HE 6 – 9	750
		HE 2, HE 10	650
		HE 3 – 5, HE 11 – 18	550
Summer	May 1 – Sept. 15	HE 5 – 1	750
		HE 2	650
		HE 3 – 4	550
Fall	Sept. 15 – Oct. 31	HE 6 – 9, HE 18 – 24	750
		HE 1, HE 10	650
		HE 2 – 5, HE 11 – 17	550

Put in place an annual review to modify the requirement based on system needs to address the energy transition and integration of renewables


**Maintaining High/
Low Regulation
Requirement hours**

	Δ Requirement			
	-25 MW	No Change	+25 MW	+50 MW
ACE TOB ($>2 \cdot L_{10}$)	10%	$> 10\%$ and $< 50\%$	50%	60%
BAAL	NA	< 50 Mins	50 Mins	75 Mins
RU	20%	$> 20\%$ and $< 80\%$	80%	90%
Min/Max Deploy.	NA	$< 7.5\%$	7.5%	10%

Step-Down Constraint: Result cannot be $<$ the prior hour by 150 MW or more

Adjustment levels -25/+25/+50 are based on 10%/20% of NERC L_{10} value (CPS2).

Move to a Precision Only Calculation for Performance Scoring



	Score
Status Quo Performance Score	0.820
Accuracy	0.834
Delay	0.899
Precision	0.729
Precision Score	0.781

$$Performance\ Score = 1 - \frac{1}{n} \sum Abs(Error)$$

Error

$$= Avg\ of\ Abs \left| \frac{Response - Regulation\ Signal}{0.5 * Period\ Avg\ Reg\ Signal + 0.5 * AREG} \right|$$

n = number of sample in the period;
AREG = assigned regulation megawatt

Precision will be calculated as: The lowest of the absolute error between the signal at t0 and the response at t0 and t10. The denominator in the precision calculation will be an average of the regulation award and the absolute average hourly signal.

Reduce testing requirements for qualification

- New resources will test 2 times (status quo: 3)
- Disqualified Resources will test 1 time (status quo:3)

Disqualified Resources

Change in Capability (MW)

Change in Communication Path or EMS – Existing or New Owner/MOC


New Resources

1 PJM-administered test

2 tests = 1 self-scheduled test + 1 PJM-administered test or 2 PJM-administered tests

New Performance Score of (an average of) PJM-administered test(s)

Regulation Offer Separate for RegUp and RegDn



- VOM is removed from Offers, except for Regulation Only Resources
- Under Regulation-Up and Regulation-Down products the Offer change by:
 - Price is now \$50/MWH per product (currently \$100/MWH for bidirectional)
 - Margin Adder is now \$6 per product (currently \$12 for bidirectional)
 - The cost for operating at lower loads is only realized for Reg-Down

Energy schedule used for LOC

- **For online resources**, the schedule on which the resource is committed and running for energy
- **For offline resources**, the cheapest of the price-based or cost-based available energy schedules


Calculation of LOC using

Status Quo: The Desired MW at LMP – is not ramp limited, and not based on the initial MW of the unit

- Generally overvalues LOC

Proposal: Tracking Desired MW at LMP ramp limited – will incorporate consecutive market conditions to create the profile that units should have achieved if they had been following each dispatch signal based on their ramp rates.

Calculation of LOC moving to a tracking desired MW at LMP Ramp Limited




Reg = 20 MW	RegLo = 180, RegHi = 220	Ramp 10 MW/Min	Reg set point 200 MW
-----------------------	---	--------------------------	--------------------------------

Initial MW (MW)	200	200	200
LMP (\$/MWh)	20	40	40
Desired MW at LMP (DML) (MW)	200	400	400
Delta MW LOC for DML (MW)	0	200	200
Tracking Desired MW at LMP RR Limited (TDLRL)(MW)	200	250	300
Delta MW LOC for TDLRL (MW)	0	50	100


Total LOC Formulation in Dollar

area bounded by

- i. the LMP,
- ii. the resource's Final Offer
- iii. the generation resource's tracking ramp-rate limited expected output level if it had been dispatched in economic merit order, and
- iv. the generation resource's regulation set point



Mileage will be calculated separately for Regulation-Up and Regulation-Down



Regulation clearing and Regulation pricing will use the daily (historical) product signal mileage for the mileage offer price adjustment

Settlement will use the ratio of the 5-minute product signal actual mileage to the product historic mileage for the Regulation Mileage credit

For RegUp: $\frac{\text{RegUp signal actual 5-minute mileage}}{\text{RegUp historic mileage for the operating day}}$

For RegDn: $\frac{\text{RegDn signal actual 5-minute mileage}}{\text{RegDn historic mileage for the operating day}}$

RegUp only resource will follow regulation signal above the zero crossing only

RegDn only resource will follow regulation signal below the zero crossing only

RegUp/RegDn resource may submit offers into (and clear in) both RegUp and RegDn markets for the same interval

Option available for Market Participants around the clearing constraint

- Self de-assign will result in zero performance score in the regulation market interval
- PJM dispatch de-assign does not impact performance score in the regulation market interval

- Regulation Settlements will be for both the RegUp Settlement and RegDn Settlement
 - RegUp Settlement: RegUp capability credit and RegUp mileage credit
 - RegDn Settlement: RegDn capability credit + RegDn mileage credit
- Make whole for Regulation Settlements will be done on a resource basis (RegUp Settlement + RegDn Settlement)

Phased Implementation to effectuate the proposal design
(without the Up/Down product first and then change to the Up/Down Products).

One year implementation timeline for Phase 1 and one additional year implementation timeline for Phase 2

- This will also help orient the fleet with the new signal and performance requirements before splitting the market clearing and operational signals
- This will accommodate the large development effort for PJM and Members for the Up/Down Products.

This will allow for more development and implementation time for both PJM and Members to move to the Up/Down Products

Facilitator:

[Stu Bresler, Stu.Bresler@pjm.com]

Secretary:

[Dave Anders,
David.Anders@pjm.com]

SME/Presenter:

[Danielle Croop,
Danielle.Croop@pjm.com]

**[PJM Proposed Package for
Regulation Redesign (RMDSTF)]**



Member Hotline

(610) 666 – 8980

(866) 400 – 8980

custsvc@pjm.com

**PROTECT THE
POWER GRID
THINK BEFORE
YOU CLICK!**



Be alert to
malicious
phishing emails.

Report suspicious email activity to PJM.
(610) 666-2244 / it_ops_ctr_shift@pjm.com

